

Safety Data Sheet

WC-575 TROLLEY CLEANER

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WC-575 TROLLEY CLEANER

PRODUCT DESCRIPTION: CLEANER

MANUFACTURER

WAYNE CHEMICAL, INC
7114 Homestead Road
Fort Wayne, IN 46814
Emergency Phone: 260-432-1120
Customer Service: 260-432-1120
E-Mail: info@waynechemical.com

24 HR. EMERGENCY TELEPHONE NUMBERS

Poison Control Center (Medical) : (877) 800-5553
CANUTEC (Canadian Transportation) : (613) 996-6666
CHEMTREC (US Transportation) : (800) 424-9300
CHEMTREC Account Number : 24245

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Can cause irritation and/or chemical burns to mouth, throat, and digestive tract.
Can cause irritation and/or chemical burns to upper respiratory tract.
Eye Irritation
Skin Irritation

GHS LABEL



Exclamation
mark

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H316: Causes mild skin irritation.
H320: Causes eye irritation.

PRECAUTIONARY STATEMENTS

Prevention:

P262: Do not get in eyes, on skin, or on clothing.
P264: Wash thoroughly after handling.
P281: Use personal protective equipment as required.
P362+P364: Take off contaminated clothing and wash it before reuse.

Response:

P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302: IF ON SKIN: Immediately flush skin with large amounts of water for at least 15 minutes while removing contaminated clothing and footwear. Wash contaminated clothing before reuse. Discard footwear that cannot be decontaminated. If irritation persists, SEEK MEDICAL ATTENTION IMMEDIATELY.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

P306: IF ON CLOTHING: Remove contaminated clothing and footwear and wash before reuse.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501: Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
2- Butoxyethanol	< 5	111-76-2
Proprietary alkalinity booster	< 20	
Proprietary Surfactant Blend	< 15	
Proprietary sequestering agent	< 5	

4. FIRST AID MEASURES

EYES: Immediately flush eyes with large amounts of cool running water. If present, remove contact lenses. Continue flushing for at least 15 minutes while holding eyelids apart to ensure flushing of entire eye surface. SEEK MEDICAL ATTENTION IMMEDIATELY.

SKIN: Immediately flush skin with large amounts of water for at least 15 minutes while removing contaminated clothing and footwear. Wash contaminated clothing before reuse. Discard footwear that cannot be decontaminated. If irritation persists, SEEK MEDICAL ATTENTION IMMEDIATELY.

INGESTION: If swallowed, have person sip a glass of water if able to swallow. DO NOT give anything by mouth to an unconscious or convulsing person. Do not induce vomiting. CONTACT A PHYSICIAN IMMEDIATELY.

INHALATION: If breathing difficulty occurs, remove person to fresh air at once. CONTACT A PHYSICIAN IMMEDIATELY.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: May cause irritation and redness.

SKIN: Prolonged contact may cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

INHALATION: Irritation to the throat. Difficulty breathing, Coughing.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Non-flammable

EXTINGUISHING MEDIA: Material will not burn. Use media appropriate for surrounding fire.

EXPLOSION HAZARDS: None known

FIRE EXPLOSION: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Heating to decomposition may produce carbon monoxide, carbon dioxide, sulfur dioxide and hydrogen sulfide.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wear protective clothing. For spills of five gallons or less, flush to sewer with copious amounts of water.

LARGE SPILL: Wear protective clothing. Contain large spills and pump into marked plastic drums for disposal or reclamation. Flush residue to sewer with copious amounts of water. Notify authorities if spill can produce adverse off-site effects.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with skin and eyes. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet facilities. Wash thoroughly after work using soap and water.

STORAGE: Close container tightly after each use. Store in a cool, well ventilated area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
EXPOSURE LIMITS				
Chemical Name	Type		ppm	mg/m ³
2- Butoxyethanol	OSHA PEL	TWA	50	240
	ACGIH TLV	TWA	20	97
	Supplier OEL	TWA	NL	NL
		STEL	NL	NL

ENGINEERING CONTROLS: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety goggles or face shield.

SKIN: Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.

RESPIRATORY: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where

exposure limits have not been established), an approved respirator must be worn.

PROTECTIVE CLOTHING: Wear appropriate chemical resistant clothing.

WORK HYGIENIC PRACTICES: Always observe good personal hygiene measures, such as washing after handling the material and before eating or drinking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Ether like odor

APPEARANCE: Clear Liquid

COLOR: Green

FLASH POINT AND METHOD: None to boiling

BOILING POINT: > (205°F)

SOLUBILITY IN WATER: Completely Miscible

SPECIFIC GRAVITY: 1.14

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: No

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID: Prolonged exposure to zinc, magnesium and galvanized surfaces.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, sulfur dioxide and hydrogen sulfide.

INCOMPATIBLE MATERIALS: Strong acids, strong oxidizing agents, and strong reducing agents.

11. TOXICOLOGICAL INFORMATION

SKIN CORROSION/IRRITATION: May cause skin and eye irritation.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data found for product

ECOTOXICOLOGICAL INFORMATION: No data found for product

BIOACCUMULATION/ACCUMULATION: No data found for product

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all local, state and Federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: WC-575 TROLLEY CLEANER

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
2- Butoxyethanol	111-76-2

16. OTHER INFORMATION


PREPARED BY: Wayne Chemical, Inc. **Date Revised:** 1-1-2026

REVISION SUMMARY: This SDS replaces the 4/10/2020 SDS.

HMIS RATING

HEALTH		2
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B

NFPA CODES



MANUFACTURER DISCLAIMER: All information contained in this material is believed to be accurate and is submitted in good faith to assist our prospective users. The information, however, is without guarantee, since conditions and methods of use of our products are beyond our control. Wayne Chemical Inc. will not assume any liability arising out of the use of the products specified herein.